


CLOTH PSA DISCS AND ACCESSORIES



ORBITAL SANDER

VERTICAL SHAFT GRINDER

Norton cloth PSA (pressure sensitive adhesive) individual discs and disc rolls are ideal for all maintenance and repair applications, from medium grinding to light deburring.

Typical Applications

- Light to medium pressure grinding
- Blending, leveling and finishing applications
- For use on contours or flat surfaces




BEST Norton SG R938 Discs – Ideal for demanding cloth applications

FEATURES	BENEFITS
<ul style="list-style-type: none"> • Patented, P-graded Norton SG ceramic aluminum oxide grain 	<ul style="list-style-type: none"> • Maximum life; rapid, cool cutting; consistent finishes • Ideal for flash and seam removal on molded parts and a broad range of non-ferrous metalworking and woodworking applications
<ul style="list-style-type: none"> • All resin bond 	<ul style="list-style-type: none"> • Provides excellent grain retention and load resistance
<ul style="list-style-type: none"> • Strong, semi-flexible X-wt cotton cloth backing 	<ul style="list-style-type: none"> • Durable; resistant to heat
<ul style="list-style-type: none"> • DL (dustless) anti-static 	<ul style="list-style-type: none"> • Cleaner workpiece and equipment
<ul style="list-style-type: none"> • Tabbed discs 	<ul style="list-style-type: none"> • Easy application and removal




BEST CORA SY692 Discs – Ideal for flash removal

FEATURES	BENEFITS
<ul style="list-style-type: none"> • Tough, durable zirconia abrasive 	<ul style="list-style-type: none"> • Fast, aggressive, cool cut with extended life
<ul style="list-style-type: none"> • Full phenolic resin bond system with enhanced grain adhesion 	<ul style="list-style-type: none"> • Minimizes edge wear, increases life
<ul style="list-style-type: none"> • Heavy duty, Y-wt polyester backing 	<ul style="list-style-type: none"> • Reduces edge wear and grain shedding
<ul style="list-style-type: none"> • Tabbed discs 	<ul style="list-style-type: none"> • Easy application and removal



BETTER NorZon Plus R821 Discs – The choice for grinding and deburring stainless steel

FEATURES	BENEFITS
<ul style="list-style-type: none"> • Self-sharpening, zirconia alumina abrasive 	<ul style="list-style-type: none"> • Cooler cut, extended life over competitive zirconia alumina products
<ul style="list-style-type: none"> • Heavy Y-wt backing 	<ul style="list-style-type: none"> • Durable; reduced edge wear



GOOD Metalite R228 Discs – Metalworking, versatile


FEATURES	BENEFITS
<ul style="list-style-type: none"> • Premium aluminum oxide abrasive 	<ul style="list-style-type: none"> • Long life
<ul style="list-style-type: none"> • Heavy, X-wt cotton backing 	<ul style="list-style-type: none"> • Durable • Ideal for aggressive stock removal applications • Resistant to heat



GOOD CORA KJ370 Discs – Ideal for dimensioning and finishing of contours

FEATURES	BENEFITS
<ul style="list-style-type: none"> • P-graded heat-treated, aluminum oxide abrasive 	<ul style="list-style-type: none"> • Excellent cut rate; long life
<ul style="list-style-type: none"> • Resin bond system 	<ul style="list-style-type: none"> • Increased strength and durability • Produces fine finishes on soft metals and wood
<ul style="list-style-type: none"> • Flexible J-wt backing 	<ul style="list-style-type: none"> • Provides flexibility needed for contouring while maintaining grain adhesion • Designed for intermediate / light pressure, dry sanding
<ul style="list-style-type: none"> • Tabbed discs 	<ul style="list-style-type: none"> • Easy application and removal





Small Diameter Cloth PSA Discs

Metalite R228 Individual Cloth PSA Discs

		GOOD METALITE R228								
SIZE	MIN./ STD PKG	36 GRIT	40 GRIT	50 GRIT	60 GRIT	80 GRIT	100 GRIT	120 GRIT	150 GRIT	180 GRIT
2	50/500			66261136530	66261136525	66261136520	66261136517	66261136515		
3	50/500	66261136565	66261136563	66261136562	66261136560	66261136555	66261136552			
5	50/250	66261136589	66261136588	66261136587	66261136586	66261136585	66261136584	66261136583	66261136582	66261136581
6	50/250				66261136596	66261136595	66261136594	66261136593		66261136592
8	50/250	66261136350	66261136351	66261136352	66261136576	66261136354		66261136355		

Individual Cloth PSA Tabbed Discs

SIZE	GRIT	MIN./ STD. PKG.	BEST R938*	BEST SY692	GOOD KJ370*
			PSA	PSA	PSA
5	50	50/250		66623356576	
	60		66623356685		
	80		66623356686	66623351358	
	100			66623351359	
	120		66621139834	66623351360	
	150		66621139835	66623351361	
	180		66621139836	66623351362	
220		66623351363			

*P-GRADED



Cloth PSA Disc Rolls

		GOOD METALITE R228 / CORA KJ370							
SIZE	STD. PKG./ DISCS PER ROLL	50 GRIT	60 GRIT	80 GRIT	100 GRIT	120 GRIT	150 GRIT	180 GRIT	220 GRIT
METALITE R228									
5	4/100	66261133252	66261133253	66261133254	66261133255				
CORA KJ370									
5	4/100			66623350228	66623350229	66623350230	66623350231	66623350232	66623350233


*P-GRADED, TABBED DISCS
SEE PAGE 69 FOR DISC ROLL DISPENSERS

Back-up Pads for Cloth PSA Discs

DESCRIPTION	STD PKG	MAX. RPM	UPC NO.
2" Diameter	10	12,500	63642543095
3" Diameter	10	8,000	63642543100
5" Diameter – Low Profile – Soft	5	12,000	63642503087
5" Diameter – Low Profile – Firm	5	12,000	63642503605
5" Diameter Tapered	5	10,000	63642503112
6" Diameter Tapered	5	10,000	63642543852
8" Diameter Tapered	5	6,000	63642543112



FOR ADDITIONAL BACK-UP PADS AND PRODUCT DESCRIPTION SEE PAGE 69



Large Diameter Cloth PSA Discs

Used on stationary disc machines for dimensioning and finishing metal workpieces. A pressure sensitive adhesive offers fast, convenient mounting. Made without center holes for full-face usage.

NorZon Plus R821 Large Diameter Cloth PSA Discs

SIZE	MIN./STD. PKG.	BETTER NORZON PLUS R821					
		24 GRIT	36 GRIT	40 GRIT	50 GRIT	60 GRIT	80 GRIT
10	25/50			66261138314		66261138316	66261138317
12	25/50	66261138318	66261138319	66261138320	66261138321	66261138322	66261138323
16	25/50				66261138333	66261138334	66261109128
18	25/50		66261138337				
20	25/50		66261138343	66261138344		66261138346	66261138347

Metalite R228 Large Diameter Cloth PSA Discs

SIZE	MIN./STD. PKG.	GOOD METALITE R228						
		36 GRIT	40 GRIT	50 GRIT	60 GRIT	80 GRIT	100 GRIT	120 GRIT
10	25/50	66261136606	66261136604	66261136607	66261136602	66261136601	66261136600	
12	25/50	66261136635	66261136630	66261136625	66261136620	66261136615	66261136614	66261136613
15	25/50	66261136666	66261136665	66261136714	66261136663	66261136662		
16	25/50	66261136700	66261136685	66261136684	66261136683	66261136701		
18	25/50	66261136720			66261136696	66261136723		
20	25/50	66261136710	66261136709	66261136711	66261136712	66261136706		
24	10/10	66261136718	66261136717	66261136725	66261136726	66261136727		

