

Safety, durability and comfort combined



Cut



Medium Duty

- HyFlex® 11-644 offers a dynamic mix of performance, durability and comfort
- The ANSI Level 2 & EN 388:2016 Level B cut performance and lightweight ergonomic fit strike the perfect balance of protection and precision when working with small, sharp parts
- The HyFlex 11-644 glove with Ansell Cut Protection Technology is an effective way to decrease injury expenses without reducing productivity or quality. That's because it combines superior cut protection, abrasion resistance, grip, tactility, and dexterity in a comfortable glove your workers are more likely to wear



Industries

- Automotive
- Machinery and Equipment
- Metal fabrication

Applications

- Press shop operations
- Handling metal sheets & panels
- Handling parts with sharp, rough edges
- Seizing structural and body parts
- Inspection (picking, checking and marking)
- Feeding the press and removing spare parts from it
- Cutting glasses, sheets, panels

Technologies



INTERCEPT™
Cut Resistance Technology

Performance Standards & Regulatory Compliance

REACH Compliant



Key Features

- Enhanced cut protection, wear life, and comfort with a high level of dexterity
- High dexterity with longer wear due to low palm weight and excellent abrasion resistance
- Available in a broad range of sizes to fit all workers from 5-12 (XS-XXXL)
- Also available in vend pack

Specifications

BRAND STYLE	DESCRIPTION	Gauge	SIZE	LENGTH	COLOR	PACKAGE
HyFlex® 11-644	Finishing: Palm Coated Coating Material: Polyurethane Liner Material: HPPE, Nylon, Spandex Cuff Style: Knitwrist	13	5, 6, 7, 8, 9, 10, 11, 12	207-277 mm; 8.14-10.90 inches	Grey	<ul style="list-style-type: none"> 12 pairs in a bag; 12 bags in a carton



STELLAR INDUSTRIAL SUPPLY

ALBANY
(541) 967-8500

BILLINGS
(406) 896-0066

EVERETT
(425) 259-9241

PORTLAND
(503) 253-3100

SAN LUIS OBISPO
(805) 543-5177

SEATTLE
(206) 768-1800

SPOKANE
(509) 532-9100

TACOMA
(253) 383-2700

TAMPA
(813) 885-2343

TUCSON
(520) 791-3026

UPLAND
(909) 946-8039